Theoretical Computer Science 92 (1992) 337–338
Elsevier

Author Index Volume 92 (1992)

(The issue number is given in front of the page numbers)

Apostolico, A., S. Browne and C. Guerra, Fast linear-space computations of longest common subsequences (1) 3–17
Baeza-Yates, R.A. and M. Régnier, Average running time of the Boyer–Moore–Horspool algorithm (1) 19–31
Bitar, J. and E. Goles, Parallel chip firing games on graphs (*Note*) (2) 291–300
Browne, S., *see* A. Apostolico (1) 3–17
Crochemore, M., Foreword to the Special Issue on Selected Papers of the Combinatorial Pattern Matching School, Paris, July 1990 (1) 1–
Crochemore, M., String-matching on ordered alphabets (1) 33–47
Crochemore, M., *see* J. Néraud (1) 145–164
Edelsbrunner, H., L. Guibas, J. Pach, R. Pollack, R. Seidel and M. Sharir, Arrangements of curves in the plane—topology, combinatorics and algorithms (*Note*) (2) 319–336
Ehrenfeucht, A. and G. Rozenberg, Angular 2-structures (2) 227–248
Galil, Z. and K. Park, Dynamic programming with convexity, concavity, and sparsity (1) 49–76
Goldwurm, M., Probabilistic estimation of the number of prefixes of a trace (2) 249–268
Goles, E., *see* J. Bitar (2) 291–300
Guerra, C., *see* A. Apostolico (1) 3–17
Guibas, L., *see* H. Edelsbrunner (2) 319–336
Hashiguchi, K. and K. Yamada, Two recognizable string-matching problems over free partially commutative monoids (1) 77–86
Hebisch, U. and H.J. Weinert, Generalized semigroup semirings which are zero-divisor-free or multiplicatively left-cancellative (2) 269–289
Hemachandra, L.A. and R.S. Rubinstein, Separating complexity classes with tally oracles (*Note*) (2) 309–318
Iliopoulos, C.S. and W.F. Smyth, Optimal algorithms for computing the canonical form of a circular string (1) 87–105
Kim, J.Y. and J. Shawe-Taylor, An approximate string-matching algorithm (1) 107–117
Lecroq, T., A variation on the Boyer–Moore algorithm (1) 119–144
Lutz, J.H., On independent random oracles (*Note*) (2) 301–307
Néraud, J. and M. Crochemore, A string matching interpretation of the equation $x^m y^n = z^p$ in a free monoid (1) 145–164
Pach, J., *see* H. Edelsbrunner (2) 319–336
Park, K., *see* Z. Galil (1) 49–76
Pollack, R., *see* H. Edelsbrunner (2) 319–336
Quong, R.W., Fast average-case pattern matching by multiplexing sparse tables (1) 165–179
Régnier, M., *see* R.A. Baeza-Yates (1) 19–31
Revuz, D., Minimisation of acyclic deterministic automata in linear time (1) 181–189
Rozenberg, G., *see* A. Ehrenfeucht (2) 227–248
Rubinstein, R.S., *see* L. Hemachandra (2) 309–318
Seidel, R., *see* H. Edelsbrunner (2) 319–336
Sharir, M., *see* H. Edelsbrunner (2) 319–336
Shawe-Taylor, J., *see* J.Y. Kim (1) 107–117

Elsevier Science Publishers B.V.

Smyth, W.F., *see* C.S. Iliopoulos (1) 87–105
Ukkonen, E., Approximate string matching with q-grams and maximal matches (1) 191–211
Weinert, H.J., *see* U. Hebisch (2) 269–289
Yamada, K., *see* K. Hashiguchi (1) 77– 86
Zipstein, M., Data compression with factor automata (1) 213–221